

	Hits	Search Text	DBs
1	2	(( "20030088696" ) or ("6370142" ) ).PN.	US-PGPUB; USPAT
2	11	multi\$1cast\$4 with (domain\$1 or sub\$1net\$5 or network\$1) with (id\$1 or (identifier\$1 or identification\$1 or name\$1) with router\$1) with (administra\$4 or central\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	9	19 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	17	((provid\$4 or report\$4 or announc\$4) with multi\$1cast\$4 with (domain\$1 or sub\$1net\$5 or network\$1) with (id\$1 or (identifier\$1 or identification\$1 or name\$1) with router\$1) ) and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	17	((provid\$4 or report\$4 or announc\$4 or prepar\$4) with multi\$1cast\$4 with (domain\$1 or sub\$1net\$5 or network\$1) with (id\$1 or (identifier\$1 or identification\$1 or name\$1) with router\$1) ) and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	38	((provid\$4 or report\$4 or announc\$4 or prepar\$4) with multi\$1cast\$4 with (domain\$1 or sub\$1net\$5 or network\$1) with (administr\$5 or central\$5) ) and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	38	24 and multi\$1cast\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	26	25 and router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	9	25 and (router\$1 with (id\$1 or identifier\$1 or identification\$1 or name\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	183	((database\$1 or server\$1) with multi\$1cast\$4 with domain\$1) or (((administra\$5 or central\$5) near9 (location\$1 or server\$1 or database\$1)) same domain\$1 same multicast\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	60	((provid\$4 or report\$4 or announc\$4 or prepar\$4) with ((database\$1 or server\$1) with multi\$1cast\$4 with domain\$1) or (((administra\$5 or central\$5) near9 (location\$1 or server\$1 or database\$1)) same domain\$1 same multicast\$4)) and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	56	29 and router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	72	((database\$1 or server\$1) near9 multi\$1cast\$4 near9 domain\$1) and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	56	31 and router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	32 and (administrative adj system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
16	40	32 and administrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	24	34 and (multicast\$4 near3 domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	6	(determin\$4 with (multicast\$4 near3 domain\$1) with router\$1) and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB